

# Measuring and segmentation in CT data using deformable models

Václav Krajiček

Josef Pelikán

Martin Horák

Faculty of Mathematics and Physics  
Charles University, Prague




# Task

- Volume measuring through object reconstruction
- Based on deformable models
- Build-up fast, robust, extensible framework for segmentation, reconstruction
- Evaluate efficiency
- Reconstruction from successive slice segmentation

# B-Spline Snakes

- Relatively fast
  - Least parameters to optimize from all known methods
  - But more work concentrated to each parameter
- Noise aware



a) Implicit



b) Explicit





c) B-Spline

# Model

- Region based
  - Edges are unreliable
  - Statistics of region known a priori
- Incorporated similarity to template

$$E_{region} = \int_{int} \log \left( \frac{P_{int}}{P_{ext}} \right) dx dy$$


$$E_{temp} = \int_0^N \min(\sqrt{(v(t) - temp)^2}) dt$$



# Optimization



- Gradient descent
- Computation of derivatives
- Heuristic equivalent to exact computation
  - In fashion of balloons

$$\begin{aligned} & \nabla_{c_k} E_{region} = \dots \\ & = \int_k^{k+deg} F \cdot B(t-k) \cdot \mathbf{n}(\mathbf{s}) \cdot |d\mathbf{s}| dt \end{aligned}$$




# Reconstruction

- Slice-to-slice propagation
  - Co-registration
  - Statistics recalculations
  - Nearest distance field



# Future work

- Medical studies using our software
- B-Spline planes



# References

- M.Kass, A. Witkin, and D. Terzopoulos, Snakes: Active contour models, 1988
- T. Chan and L. Vese, Active contours without edges, 2001
- Mathews Jacob, Thierry Blu and Michael Unser, Efficient energies and algorithms for parametric snakes, 2004
- This work is supported by GAUK grant No. 359/2006

# Q & A

